

Quality of the Soil, Timber, &c. on the Township Lines.		East Boundary.		South Boundary.	
Description of the Land, Timber, &c. on the Exterior Sectional Lines.	Sec. 36	Level & poor - Timber Oak.		Sec. 36	Rather marshy & poor. Thinly timbered with Oak.
	" 25	Mostly wet prairie; some small groves of Oak		" 35	Low & 2 ^d rate - Timber Oak.
	" 24	Level & poor - N. & S. prairie - N. & S. Barrens - Oak.		" 34	Level & 2 ^d rate - W. & Y. Oak.
	" 13	Marshy & poor - Timber Oak.		" 33	Same.
	" 12	Rolling & poor - Timber Oak.		" 32	Marshy & Wet prairie
	" 1	Much the same.		" 31	East & poor wet prairie - West & 2 ^d rate - Timber W. & Y. Oak
	35, 36,	In Barrens gently rolling - poor sandy soil - Timber W. & B. Oak - prairie poor & marshy - W. & S. Red top grass & spatterdock water 6 to 12 in.			
	25, 36,	1 st & 2 ^d open & level - last 1/2 open level & wet - All 3 ^d rate - Timber W. & B. Oak - W. & S. - Water from 6 to 12 inches deep.			
	25, 26,	Level 3 ^d rate - W. & B. Oak - prairie poor & marshy - W. & S. - water 6 inches deep.			
	24, 25,	Level & open 3 ^d rate - Timber same - prairie marshy - W. & S.			
	23, 24,	Level poor sandy soil - W. & B. Oak - prairie poor & marshy - water 6 to 12 inches deep.			
	13, 24,	Level 3 ^d rate - W. & B. Oak - marsh prairie - poor loamy soil - W. & S. - water from 6 to 14 inches deep!			
	13, 14,	Gently rolling & 3 ^d rate - Timber same.			
	12, 13,	Same.			
	11, 12,	Open & level 3 ^d rate - W. & B. Oak - prairie marshy & poor - soil - W. & S. same.			
	1, 12,	Level 3 ^d rate - Timber same - prairie wet & 2 ^d rate - marsh 3 ^d rate.			
	1, 2,	First 1/2 open, level & 3 ^d rate - last 1/2 level & 2 ^d rate - Timber W. & B. Oak - All W. & S. same.			
	34, 35,	Gently rolling & 3 ^d rate - Timber W. & B. Oak - prairie poor & marshy - Soil brown loam - water 6 to 12 deep.			
	26, 35,	Rolling & poor - sandy soil - Timber W. & S. as before.			
	26, 27,	Same.			
	23, 26,	Level 3 ^d rate - Timber W. & B. Oak - prairie poor & marshy - W. & S.			
	22, 23,	Same			
	14, 23,	Same			
	14, 15,	Same			
	11, 14,	Gently rolling 3 ^d rate - Timber W. & S. same			
	10, 11,	Same			
	2, 11,	Same			
	2, 3,	Same			
	33, 34,	Same, with water from 12 to 18 inches deep.			
	27, 34,	Level & open - Timber W. & B. Oak - prairie poor & marshy - grass, spatterdock W.			
	27, 28,	Gently rolling 3 ^d rate - Timber as before - prairie marshy & poor - soil fine water 4 to 10 inches deep.			
	22, 27,	Same			
	21, 22,	Same			
	15, 22,	Same			
	15, 16,	Same			
	10, 15,	Same			
	9, 10,	Open & level 3 ^d rate - prairie marshy W.			
	3, 10,	Rolling 3 ^d rate - timber W. & B. Oak - prairie same.			
	3, 4,	Gently rolling - sandy soil - Timber & prairie as before			
	32, 33,	Open & level 3 ^d rate - Timber W. & B. Oak - prairie poor - soil W. & S. same.			
	28, 33,	Open & level - soil sandy - timber same - prairie poor & marshy 3 ^d rate - water 4 to 8 inches.			
	28, 29,	In Barrens open, level & 3 ^d rate - timber same.			
	21, 28,	Same - with 4 to 8 inches water.			
	20, 21,	Level - sandy soil - timber same - prairie wet & 2 ^d rate.			
	16, 21,	Open, level & 3 ^d rate - timber, prairie, W. & S. same.			
	16, 17,	Same			
	9, 16,	Same			
	8, 9,	Same			
	4, 9,	Same			
	4, 5,	Same			
	31, 32,	Sandy soil 3 ^d rate - Timber W. & B. Oak - prairie marshy.			
	29, 32,	Level open & 3 ^d rate - Timber W. & S. same.			
	30, 31,	Same.			
	29, 30,	Same			
	20, 29,	Same			
	19, 30,	Gently rolling & 3 ^d rate - Timber same.			
	19, 20,	Open, level & 2 ^d rate - Timber W. & S. same.			
	17, 20,	Same.			
	18, 19,	Gently rolling & 3 ^d rate - Timber W. & S. same			
	17, 18,	Open & level - sandy soil - 3 ^d rate - Timber W. & S. as before.			
	8, 17,	Same			
	7, 18,	Same			
	7, 8,	Same			
	5, 8,	Same			
	6, 7,	Same			
	5, 6,	Same.			

The figures in this column refer to the Posts numbered in red ink on the Plate.

Posts.	Bearing Trees.	Inches diam'r.	Courses they bear.	Links distant
1				
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				
21				
22				
23				
24				
25				
26				
27				
28				
29				
30				
31				
32				
33				
34				
35				
36				
37				

Exterior Section and Quarter Section Corners Described.

Posts.	Bearing Trees.	Inches diam'r.	Courses they bear.	Links distant.
A	B. Oak	20	N 73 W	1167
a	B. Oak	16	S 44 W	655
B	W. Oak	8	S 35 W	2855
b	W. Oak	6	S 25 E	2830
C	W. Oak	10	South	2806
c	B. Oak	10	S 15 E	2750
D	W. Oak	12	S 37 E	27
d	W. Oak	8	S 42 W	40
E	B. Oak	24	S 70 W	61
e	B. Oak	30	S 2 W	63
F	B. Oak	12	S 38 E	70
f	B. Oak	18	S 13 E	53
G	Y. Oak	18	N 60 W	41
g	W. Oak	7	S 19 E	11
h	W. Oak	16	S 60 W	203
H	W. Oak	20	N 65 W	126
h	W. Oak	10	S 7 W	289
I	W. Oak	14	S 49 W	353
i	W. Oak	10	S 29 W	70
I	B. Oak	14	N 87 W	48
I	Aspen	8	South	197
i	W. Oak	8	N 25 W	325
i	W. Oak	12	South	1312
K	W. Oak	8	S 29 W	17
k	W. Oak	8	N 14 W	17
k	W. Oak	8	N 55 E	325
L	W. Oak	10	N 3 W	500
L	W. Oak	9	N 56 W	210
l	W. Oak	10	N 27 W	220
l	Y. Oak	9	N 2 W	1357
M	W. Oak	9	S 59 W	64
m	W. Oak	7	N 44 W	21
m	W. Oak	14	N 30 W	96
N	Y. Oak	15	S 62 W	27
N	W. Oak	18	S 1 E	1536
n	Y. Oak	10	N 42 E	36
o	Y. Oak	8	N 33 W	64
O	Y. Oak	12	N 2 W	178
O	Y. Oak	10	N 2 E	189
O	W. Oak	19	N 77 W	350
P	W. Oak	12	N 88 W	379
P	Y. Oak	18	N 66 E	41
P	Y. Oak	20	N 57 W	43
P	Y. Oak	12	Corner	...
Q	W. Oak	14	N 52 E	233
Q	Y. Oak	18	N 39 W	166
q	Y. Oak	20	N 62 E	197
q	W. Oak	10	N 75 E	186
R	Y. Oak	18	N 79 E	118
r	W. Oak	12	N 67 E	117
r	W. Oak	12	S 89 W	1442
S	Post in water	No other		
s	Y. Oak	10	N 41 E	104
s	Y. Oak	20	N 3 E	90
T	Y. Oak	6	N 11 E	48
t	Y. Oak	18	S 86 E	412
t	W. Oak	20	N 67 W	90
U	Y. Oak	6	N 24 W	46
U	W. Oak	18	S 31 W	598

Interior Section Corners Described.

Corners of Sections.	Bearing Trees.	Inches diam'r.	Courses they bear.	Links distant.
25, 26, 35, 36,	W. Oak	12	S. 20 W	40
23, 24, 25, 26,	W. Oak	20	N. 55 W	—
13, 14, 23, 24,	B. Oak	20	S. 52 E	107
11, 12, 13, 14,	B. Oak	20	S. 11 W	90
1, 2, 11, 12,	B. Oak	20	N. 20 W	25
26, 27, 34, 35,	B. Oak	12	S. 19 E	79
22, 23, 26, 27,	W. Oak	12	N. 87 E	192
14, 15, 22, 23,	B. Oak	24	S. 71 W	253
10, 11, 14, 15,	W. Oak	12	S. 46 E	285
2, 3, 10, 11,	W. Oak	12	S. 57 E	257
27, 28, 33, 34,	W. Oak	12	S. 77 W	214
21, 22, 27, 28,	W. Oak	12	S. 87 E	64
15, 16, 21, 22,	W. Oak	12	N. 23 W	20
9, 10, 15, 16,	B. Oak	12	S. 25 W	253
3, 4, 9, 10,	W. Oak	12	S. 56 W	294
28, 29, 32, 33,	W. Oak	12	S. 20 W	15
20, 21, 28, 29,	W. Oak	14	N. 2 W	15
16, 17, 20, 21,	W. Oak	14	S. 21 W	54
8, 9, 16, 17,	B. Oak	8	N. 60 W	141
4, 5, 8, 9,	W. Oak	12	S. 13 E	28
29, 30, 31, 32,	B. Oak	20	N. 17 W	42
19, 20, 29, 30,	W. Oak	18	N. 22 W	90
17, 18, 19, 20,	W. Oak	12	S. 45 E	25
7, 8, 17, 18,	B. Oak	12	N. 26 W	17
5, 6, 7, 8,	B. Oak	14	S. 42 W	27
	W. Oak	20	N. 44 W	595
	W. Oak	12	N. 34 W	581
	W. Oak	20	N. 68 W	433
	B. Oak	18	N. 41 W	447
	W. Oak	12	N. 53 E	27
	W. Oak	18	N. 77 W	29
	B. Oak	14	S. 21 E	279
	W. Oak	18	N. 81 E	223
	W. Oak	10	S. 40 E	135
	W. Oak	20	N. 66 W	56
	W. Oak	18	S. 82 E	73
	W. Oak	12	N. 74 W	119
	W. Oak	10	S. 21 E	154

Interior Quarter Section Corners Described.

Qr. Sec. Posts on the Lines.	Bearing Trees.	Inches diam'r.	Courses they bear.	Links distant.
M to U at 1	W. Oak	12	S. 60 W	222
2	B. Oak	30	N. 88 W	276
3	B. Oak	12	S. 56 W	14
4	B. Oak	12	S. 59 E	11
5	W. Oak	12	S. 63 E	166
6	B. Oak	20	N. 68 W	183
7	B. Oak	12	N. 44 E	12
8	W. Oak	10	S. 62 E	23
9	W. Oak	12	S. 69 E	80
10	W. Oak	8	S. 2 W	82
11	W. Oak	18	N. 30 W	44
12	W. Oak	12	N. 20 E	45
L to V at 1	Post in Mound			
2	W. Oak	12	S. 3 E	40
3	B. Oak	15	N. 85 E	50
4	B. Oak	12	North	33
5	B. Oak	8	N. 78 E	41
6	Post in Mound			
7	W. Oak	8	N. 89 E	112
8	W. Oak	12	S. 75 E	111
K to W at 1	B. Oak	12	S. 56 E	155
2	B. Oak	8	S. 27 E	110
3	B. Oak	8	S. 72 W	105
4	B. Oak	10	N. 79 W	119
5	W. Oak	12	N. 19 W	5
6	W. Oak	8	S. 19 E	16
7	W. Oak	12	S. 36 E	18
8	W. Oak	20	S. 76 W	47
9	B. Oak	8	S. 12 W	14
10	B. Oak	10	N. 28 E	42
11	W. Oak	20	S. 21 W	14
12	W. Oak	14	N. 21 W	130
I to X at 1	B. Oak	14	S. 14 E	27
2	B. Oak	16	N. 56 W	28
3	W. Oak	8	N. 65 W	10
4	W. Oak	6	S. 86 E	13
5	W. Oak	18	N. 3 W	130
6	W. Oak	14	S. 68 E	181
7	Post in Mound			
8	W. Oak	12	N. 61 W	34
9	W. Oak	10	N. 12 E	34
10	B. Oak	12	N. 77 W	52
11	B. Oak	6	N. 27 E	44
12	B. Oak	12	S. 43 W	19
13	B. Oak	14	N. 20 W	39
14	B. Oak	12	S. 57 E	44
15	B. Oak	12	S. 8 W	42
16	B. Oak	10	S. 51 E	39
17	W. Oak	12	S. 50 E	11
18	W. Oak	10	N. 6 E	23
19	W. Oak	14	West	51
20	W. Oak	12	S. 50 W	42
21	B. Oak	18	S. 72 E	96
22	B. Oak	14	N. 77 E	222
O to F at 1	B. Oak	12	N. 86 E	10
2	B. Oak	14	N. 43 W	37
3	B. Oak	12	S. 80 W	4
4	W. Oak	8	S. 57 E	15
5	B. Oak	12	S. 16 E	11
6	W. Oak	8	N. 65 W	26
7	B. Oak	14	N. 57 W	18
8	W. Oak	8	S. 88 E	60
9	W. Oak	18	N. 5 W	44
10	W. Oak	12	N. 82 E	46
11	B. Oak	12	N. 17 W	22
12	B. Oak	14	S. 86 E	50

P to E at 1 Post in Mound

2 B. Oak 12 S. 16 E. 85

3 B. Oak 14 S. 64 W. 155

4 W. Oak 8 N. 80 E. 92

5 W. Oak 12 N. 47 E. 95

6 B. Oak 20 N. 25 E. 20

7 W. Oak 12 S. 21 W. 17

8 B. Oak 24 N. 89 E. 41

9 B. Oak 12 N. 7 E. 38

10 W. Oak 6 S. 76 E. 103

11 B. Oak 8 S. 11 W. 153

Q to D at 1 W. Oak 12 S. 49 E. 19

2 W. Oak 10 N. 73 W. 19

3 W. Oak 12 N. 66 W. 313

4 W. Oak 6 N. 49 W. 298

5 W. Oak 12 N. 17 W. 36

6 B. Oak 12 S. 12 E. 41

7 W. Oak 12 N. 86 E. 276

8 W. Oak 8 N. 60 E. 267

9 W. Oak 18 S. 32 W. 29

10 W. Oak 10 N. 39 W. 69

11 W. Oak 12 S. 88 E. 294

12 B. Oak 10 N. 72 E. 296

R to C at 1 Post in Mound

2 B. Oak 18 S. 52 E. 55

3 B. Oak 18 S. 66 W. 40

4 B. Oak 12 S. 52 W. 7

5 B. Oak 8 N. 46 W. 12

6 B. Oak 20 S. 1 E. 620

No other tree near

5 Post in Mound

6 W. Oak 18 S. 48 E. 30

7 W. Oak 12 N. 64 W. 36

S to B at 1 Post in Mound

2 B. Oak 12 N. 11 W. 7

3 B. Oak 6 S. 68 E. 12

4 B. Oak 12 S. 51 W. 153

5 W. Oak 12 S. 11 E. 77

6 W. Oak 12 N. 32 E. 219

7 W. Oak 18 S. 86 E. 332


8 W. Oak 20 S. 78 W. 373

9 W. Oak 30 N. 85 W. 490

10 B. Oak 10 N. 8 E. 15

11 B. Oak 12 S. 40 E. 27

Township N^o 32 N. Range N^o 3 W. 2nd Mer.



Surveyed in 1834 by Abner E. Van Ness, Deputy Surveyor.

Scale, 40 chains to an inch.

I certify that the above is a true copy of the Original plot in this Office.

Surveyor General's Office,
Detroit Nov. 1. 1849

Lucius Lyon,

Sur. Genl